



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/693,567	10/25/2003	Nick E. Ciavarella	GOJ 03031	2169
26360 7590 09/18/2008 RENNER KENNER GREIVE BOBAK TAYLOR & WEBER FIRST NATIONAL TOWER FOURTH FLOOR 106 S. MAIN STREET AKRON, OH 44308				
EXAMINER JACYNA, J CASIMER				
ART UNIT		PAPER NUMBER		
3754				
MAIL DATE		DELIVERY MODE		
09/18/2008		PAPER		

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/693,567

Applicant(s)

CIAVARELLA ET AL.

Examiner

J. Casimer Jacyna

Art Unit

3754

Period for Reply -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 29 May 2008.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 2-7 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 2-7 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO/SI/08)
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date _____
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____

1. The indicated allowability of the claims is withdrawn in view of the newly discovered reference(s) to Bell et al., Browning et al., and Murphy. Rejections based on the newly cited reference(s) follow.
2. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.
3. Claims 3 and 4 are rejected under 35 U.S.C. 102(b) as being anticipated by Bell et al. 5,725,131. Bell discloses a universal collar 20 that is attached to a container 8 and is capable of being used with a keyed dispensing system as claimed (note that the keyed dispensing system is not part of the claimed combination, only the collar), with the universal collar 20 including a body 23, a first flange 24, a second flange located at the end of pointer 22 in figures 3 and 4, with a keyless portion between flanges 22 and 24 that is capable of bypassing a keyed system as claimed and a notch in the flange at the end of pointer 22 in figures 6 and 7 and through which the pointer for 41a passes in figure 8.
4. Claims 2, 5 and 7 are rejected under 35 U.S.C. 102(b) as being anticipated by Browning et al. 2,707,069. Browning discloses a universal collar 11 that is attached to a container 14 and is capable of being used with a keyed dispensing system as claimed (note that the keyed dispensing system is not part of the claimed combination, only the collar), with the universal collar including a body 11, a first flange shown secured to 13, a second flange 12, with a keyless portion between the flanges occupied by 13 that is capable of bypassing a keyed system as claimed, a vertical rib that extends around the end of 13 attaching the flanges and a recess 19.

5. Claims 2 and 5-7 are rejected under 35 U.S.C. 102(b) as being anticipated by Murphy 2,091,518. Murphy discloses a universal collar 14 that is attached to a container 11 and is capable of being used with a keyed dispensing system as claimed (note that the keyed dispensing system is not part of the claimed combination, only the collar), with the universal collar including a body 10, a first flange shown secured to the top of 20, a second flange shown secured to the bottom of 20, with a keyless portion between the flanges occupied by 20 that is capable of bypassing a keyed system as claimed, a vertical rib 19 that extends around the end of 20 attaching the flanges and a recess 21 that can have an oblique side as shown at 29 and 30 in modified recess 28'.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to J. Casimer Jacyna whose telephone number is 571-272-4889. The examiner can normally be reached on Mon. thru Fri. 9AM-5PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kevin Shaver can be reached on 571-272-4720. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/J. Casimer Jacyna/
Primary Examiner, Art Unit 3754